

Certificate Of Analysis

Our Lab Reference Number: 2016-11-17-022

Product: Nutritech Whey Protein Chocolate Mocha Bar

Client Sample ID: MC062:Chocolate Mocha

Laboratory Sample ID: AG37819

Batch Code: M11112016

Sample Condition: As Received

Sampling Date:

Production Date: 11-November-2016

Sell- By Date:

Use-By Date:

Best Before Date:

TEST TYPE	TEST METHOD REF	MOU (%)	RESULT
Nitrogen (g/100g)	S.O.P.C. No. 36	1.90	4.44
Protein (g/100g) (6.38)	S.O.P.C. No. 36	1.9	28.3

Sample Comments:



J Esterhuizen

28-November-2016

Date:

Confirmed by: Technical Signatory

Total Dietary Fibre content determined by AOAC Method 991.43
MoU = Measurement of Uncertainty. Calc = By calculation.

* = Not SANAS Accredited.

Results marked "Not SANAS Accredited" in this report are not included in the SANAS Schedule of Accreditation for this laboratory. These results relate only to the items tested. Opinions and interpretations expressed herein are outside the scope of SANAS accreditation.

This certificate shall not be reproduced except with the approval of the laboratory.
The integrity of results reported are only valid from sample receipt by the laboratory.

